

Ignition Starter Switches

Heavy Duty Type, suitable for universal cars and trucks, farm tractors, forklifts, construction vehicles and marines etc.



Battery Disconnect Switches and Battery Selectors

Suitable for cars, trucks, boats, RVs and construction Vehicles.

Single Pole, 12VDC ~ 24VDC

100Amps	AES-1211-11 	AES-1211-11A 	AES-1213-14 	AES-1411-537 	AES-1411-538 	AES-1411-531 	AES-1411-541
175~200Amps	AES-1411-16 	AES-1411-16A 	AES-1411-16-3P 	AES-1411-16-BP 	AES-1411-16H 	AES-1411-18D 	AES-1411-18D-4T
	AES-1411-18 	AES-1411-18C 	AES-1411-18C-4T 	AES-1411-18C-1R 	AES-1411-18C-4TR 	AES-1411-18L 	AES-1411-18L-4T
	AES-1411-532 	AES-1411-532A 	AES-1411-532B 	AES-1411-532C 	AES-1411-532D 		
250Amps	AES-1411-539A 	AES-1411-539B 	AES-1411-539C 	AES-1411-540A 	AES-1411-540B 	AES-1411-540C 	
300Amps	AES-1211-16 	AES-1211-16A 	AES-1411-18EM 	AES-1411-18A 	AES-1411-18A-L 	AES-1411-18B 	AES-1411-18L-AY
	AES-1411-533A 	AES-1411-533H 	AES-1411-533P-A 	AES-1411-533L 	AES-1411-542A 	AES-1411-543A 	AES-1411-544A
	AES-1211-28 Serial 	AES-1211-29 Serial 	AES-1211-30C 	AES-1211-30D 	AES-1211-32C 	AES-1211-32-3T 	AES-1211-32-4T
	AES-1211-23 	AES-1211-24 	AES-1211-23A 	AES-1211-24A 	AES-1211-24B 	AES-1211-25A 	AES-1211-25B

Double Pole, 12VDC ~ 24VDC

120Amps	AES-1213-13 	AES-1213-13B 	AES-1213-13C 	125Amps AES-1411-534 	AES-1411-534L 	250Amps AES-1411-34A-W 	AES-1411-34B 	AES-1411-34C
---------	-----------------	------------------	------------------	-----------------------------	-------------------	-------------------------------	------------------	------------------


Diode Battery Combiner

AES-1411-561-503 	AES-1411-561-504 	AES-1411-561-1002 	AES-1411-561-1003 	AES-1411-561-1502 	AES-1411-570 	AES-1411-571 	AES-1411-571G
50A * 3 studs	50A * 4 studs	100A * 2 studs	100A * 3 studs	150A * 2 studs	2B2S studs, 1 Pole	4B2S studs, 2 Pole	with Switch

Chargers, Sockets and Meters

Power Socket	AES P/N#	Panel Type	AES P/N#	V DC	Amps	Remark
	AES-1118S-P011	W/Front Panel	AES-1118S-P111	12VDC 20A 24VDC 15A		Illuminated Power Socket (Blue) Engle Socket Engle Plug Engle Socket + Plug Engle Plug Engle Socket + Plug European Socket European Socket
	AES-1118S-P011BL	W/Back Panel	AES-1118S-P211			
	AES-1118S-EL	W/Tent Panel	AES-1118S-P311			
	AES-1118S-EP					
	AES-1118S-EL-S					
	AES-1118S-EAP					
	AES-1118S-EAL-S					
AES-1118S-M015						
AES-1118S-G036						

USB Charger	AES P/N#	Panel Type	AES P/N#	V DC	Amps	Port	Remark
	AES-1118S-U013	W/Front Panel	AES-1118S-U113	12~24	3.1	2	5V, 2.1A Type A +1A Type A (3.1A in Total)
	AES-1118S-UA013	W/Back Panel	AES-1118S-U213	12~24	3.1	2	5V, 2.1A Type A +1A Type A (3.1A in Total)
	AES-1118S-UB013	W/Tent Panel	AES-1118S-U313	12~24	2.4	1	5V, 2.4A Type A
	AES-1118S-UB013-2			12~24	4.8	2	5V, 2.4A Type A + 2.4A Type A
	AES-1118S-UC014			12~24	2.4	1	5V, 2.4A Type A
	AES-1118S-UC014-2			12~24	4.8	2	5V, 2.4A Type A + 2.4A Type A
	AES-1118S-UC014-HC			12~24	4.8	2	5V, 2.4A Type A + 2.4A Type C
	AES-1118S-UE015			12~24	4.8	2	5V, 2.4A Type A + 2.4A Type A
	AES-1118S-UH010			12~24	4.8	2	5V, 2.4A Type A + 2.4A Type A
	AES-1118S-UI01			12~24	3.1	2	5V, 2.1A Type C + 1A Type C (3.1A in Total)
	AES-1118S-UI01A			12~24	4.8	2	5V, 2.4A Type C + 2.4A Type C
	AES-1118S-UV			6~30	4.2	2	5V, 2.1A Type A + 2.1A Type A + Volt Meter
	AES-1118S-UL007			12~24	3.1	2	5V, 2.1A Type A +1A Type A (3.1A in Total)
	AES-1118S-UL007-C			12~24	4.8	2	5V, 2.4A Type A + 2.4A Type A
	AES-1118S-ULA013			6~30	4.2	2	5V, 2.1A Type A + 2.1A Type A + Volt Meter
	AES-1118S-ULB			12~24	3.1	2	5V, 2.1A Type A +1A Type A (3.1A in Total)
AES-1118S-UPOA	W/Oval Panel W/Wire		W/Square Panel W/Wire	V DC	Amps	Port	Remark
AES-1118S-UPS8	AES-1118S-UPOA		AES-1118S-UPS8	12~24	4.8	2	5V, 2.4A Type C +2.4A Type A
	AES-1118S-UPOB		AES-1118S-UPS8	12~24	4.8	2	5V, 2.4A Type C +2.4A Type A

Fast USB Charger	AES P/N#	Panel Type	AES P/N#	V DC	Port	Remark
	AES-1118S-UG01G			12~24	2	QC3.0 Type A (5V~12V 36W) + PD Type C (5V~20V 60W)
	AES-1118S-UG01G-1			12~24	2	5V 2.4A DC, Type A + QC3.0 Type A (5V~12V 36W)
	AES-1118S-UIF-1			12~24	2	PD Type C + PD Type C (5V~12V 36W / 5V~20V 60W)
	AES-1118S-UIF-3			12~24	2	PD Type C (5V~12V 36W / 5V~20V 60W) + QC3.0 Type C (5V~12V 36W)
	AES-1118S-UIF-4			12~24	2	PD Type C (5V~12V 36W / 5V~20V 60W) + 5V/2.4A Type C
	AES-1118S-UI01E			12~24	2	QC3.0 Type C (5V~12V 36W) + 5V/2.4A Type C
	AES-1118S-UKP01			12~24	2	PD Type C (5V~20V 100W) + QC3.0 Type A (5V~12V 36W); 60W+36W together
	AES-1118S-UTV			12~24	1	QC3.0 (3.6V~12V MAX 36W) + Touch ON + Volt Meter
	AES-1118S-UTW			12~24	2	PD Type C (5V~20V 60W) + PD Type C (5V~20V 60W)
	AES-1118S-UTPW			12~24	3	PD Type C (5V~20V 60W) + 2.4A Type A + 2.4A Type A
	AES-1118S-UT3			6~30	2	PD Type C (5V~20V 60W) + Volt Meter (6~30V) + QC3.0 Type A (5V~12V 36W)
	AES-1118S-UTP			12~24	2	PD Type C (5V~20V 60W) + Touch ON + QC3.0, Type A(5V~12V 36W)
AES P/N#	W/Wire	W/Oval Panel W/Wire	W/Square Panel W/Wire	V DC	Port	Remark
AES-1118S-UPOFA1	AES-1118S-UPSFA1	12~24	2	PD Type C (5V~20V 60W) + QC3.0 Type A (5~12V 36W), w/Panel		
AES-1118S-UPOFB1	AES-1118S-UPSFB1	12~24	2	PD Type C (5V~20V 60W) + PD Type C (5V~20V 60W), w/Panel		
AES-1118S-UPOFA2	AES-1118S-UPSFA2	12~24	2	PD Type C (5V~20V 60W) + QC3.0 Type A (5V~12V 36W), w/Panel		
AES-1118S-UPOFB2	AES-1118S-UPSFB2	12~24	2	PD Type C (5V~20V 60W) + PD Type C (5V~20V 60W), w/Panel		

AES P/N#	V DC	Amps	Remark
Cigarette Socket			
AES-1118S-C004	12	10	
Voltage Meter			
AES-1118S-V010A	6~30		
AES-1118S-V010A-2	10~60		MAIN + AUX
AES-1118S-VL-2	10~60		MAIN + AUX
AES-1118S-DV	6~30		
AES-1118S-DOV010	8~60		
Amperage Meter			
AES-1118S-A010	12~24	0~10	
AES-1118S-DOA2010	12~24	8~60	
AES-1118S-DOA010	12~24	0~100	
Volt/Amps Meter			
AES-1118S-B010	6~30	0~10	
AES-1118S-DOB010	8~60	0~100	
Temperature Meter			
AES-1118S-T010	12~24		-40~125°C
AES-1118S-DOT010	12~24		-40~125°C

